

PLEXIGLAS® Fluorescent

Shades of Expression:
Eye-catching trend colors of
fascinating luminosity





PLEXIGLAS® Fluorescent

People have always been fascinated by fluorescent colors because of their strong impact. That is why they are always used in places designed to arrest the eye, for example in product displays, shopfitting, interior design or points of sale in general.


The PLEXIGLAS® sales range now comprises five new fluorescent shades. These fresh, modern grades combine smooth, glossy surfaces of high transparency with intensively colored, glowing edge effects.

- Yellow 1C50
- Orange 2C50
- Red 3C50
- Blue 5C50
- Green 6C50

The new PLEXIGLAS® Fluorescent sheet grades incorporate the latest generation of high-quality fluorescent colorants and constitute a natural, harmonious range of hues.

This impressive play of colors is a source of inspiration for designers and creative minds, and irresistibly attracts the viewer's attention.





The new color grades are available in sheets sized 3050 x 2030 mm, and in 3 and 6 mm thickness. They have the same fabrication and handling properties as the basic grade PLEXIGLAS® GS 233. Special thicknesses and colors can be manufactured on request.

Our PLEXIGLAS® GS and PLEXIGLAS SATINICE® ranges contain further types of fluorescent sheet. These products are available in orange, red and green, in transparent or translucent grades, and with glossy or satin surfaces. Viewed at right angles, their color impression is more pronounced than that of our new fluorescent grades.

For further information on the application benefits and suppliers of our products, visit our Internet site www.plexiglas.net.



® = registered trademark

PLEXIGLAS and PLEXIGLAS SATINICE
are registered trademarks of Evonik Röhm GmbH,
Darmstadt, Germany.

Certified to DIN EN ISO 9001 (quality)
and DIN EN ISO 14001 (environment)

This information and all further technical advice is based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, also with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

Ref. No. 422-8 March 2008
xx/0408/09587 (en)



Business Unit
Performance Polymers

Evonik Röhm GmbH
Kirschenallee
64293 Darmstadt
Germany
info@plexiglas.net
www.plexiglas.net
www.evonik.com

Evonik. Power to create.